

PRODUCT INFORMATION GUIDE




E.E. Zimmerman Co. / Elroy Turpentine Co.

A complete line of quality products since 1922.

PO Box 111254 • Pittsburgh, PA 15238
Phone: 412-963-0949 • Fax: 412-963-0229
www.eezimmermanco.com

SOLVENTS




E-Z HIGH SOLVENCY ACETONE

An exceptionally high strength, very fast evaporating solvent with many uses as a thinner and a cleaning agent for fiberglass resins, epoxies and adhesives.

D-329, JAN-A-489, O-A-51 ACETONE, TECHNICAL

ITEM NUMBER	CONTAINER SIZE	UNITS/ CASE	LBS/ CASE	CASES/ PALLET	UNIVERSAL PRODUCT CODE
12401	55 Gallon	1	402	4	0 81703 12401 9
12402	5 Gallon	1	36	48	0 81703 12402 6
12403	Gallon	6	45	45	2 81703 12403 3
12404	Quart	12	26	84	3 81703 12404 0
12405	Pint	12	13	144	4 81703 12405 7




E-Z DENATURED SOLVENT ALCOHOL

A special blend of ethyl and methyl alcohols for thinning shellacs and pigmented shellac. A fuel for alcohol torches, stoves, and other appliances.

VOC 835g/L. Non-photochemically reactive.

ITEM NUMBER	CONTAINER SIZE	UNITS/ CASE	LBS/ CASE	CASES/ PALLET	UNIVERSAL PRODUCT CODE
10901	55 Gallon	1	418	4	0 81703 10901 6
10902	5 Gallon	1	38	48	0 81703 10902 3
10903	Gallon	6	47	45	0 81703 10903 0
10904	Quart	12	26	84	0 81703 10904 7
10905	Pint	12	13	144	0 81703 10905 4




E-Z EPOXY SOLVENT

A reducing solvent that is compatible for thinning most two part Epoxy Coating Systems such as chemical resistant finishes, mastics, and epoxy enamels.

VOC 768g/L. Non-photochemically reactive.

ITEM NUMBER	CONTAINER SIZE	UNITS/ CASE	LBS/ CASE	CASES/ PALLET	UNIVERSAL PRODUCT CODE
15001	55 Gallon	1	420	4	0 81703 15001 8
15002	5 Gallon	1	39	48	0 81703 15002 5
15003	Gallon	6	47	45	0 81703 15003 2




E-Z JAPAN DRIER

Specifically formulated to accelerate the drying time of oil based coatings. It's superior strength requires the use of only small quantities.

VOC 740g/L. Non-photochemically reactive.

ITEM NUMBER	CONTAINER SIZE	UNITS/ CASE	LBS/ CASE	CASES/ PALLET	UNIVERSAL PRODUCT CODE
14902	5 Gallon	1	39	48	N/A
14903	Gallon	6	47	45	0 81703 14903 6
14904	Quart-Plastic	12	25	84	0 81703 14904 3
14905	Pint	12	14	144	0 81703 14905 0



E-Z LACQUER RETARDER

Used to prevent lacquers from blushing when they are applied in conditions of high humidity. Use only as directed by the Lacquer Manufacturer. Follow the Lacquer Manufacturer's directions to determine the proper amount of E-Z Lacquer Retarder to use. Do not exceed the amount of Lacquer Retarder recommended by the Lacquer Manufacturer.

ITEM NUMBER	CONTAINER SIZE	UNITS/ CASE	LBS/ CASE	CASES/ PALLET	UNIVERSAL PRODUCT CODE
11041	55 Gal. Drum	Each	422	4	N/A
11042	5 Gal. Pail	Each	38	48	N/A
11043	Gallon	6	47	45	0 81703 11043 2



E-Z LACQUER THINNER

General Purpose, high solvency, medium dry solvent for thinning many epoxies, lacquers, and lacquer sealers to brushing and spraying consistency. VOC 809g/L. Photochemically reactive.

ITEM NUMBER	CONTAINER SIZE	UNITS/ CASE	LBS/ CASE	CASES/ PALLET	UNIVERSAL PRODUCT CODE
11001	55 Gal. Drum	Each	422	4	0 81703 11001 1
11002	5 Gal. Pail	Each	38	48	0 81703 11002 9
11003	Gallon	6	47	45	0 81703 11003 6
11004	Quart	12	27	84	0 81703 11004 3
11005	Pint	12	14	144	4 81703 11005 0



E-Z ECONOMY LACQUER THINNER

A general purpose, high solvency, medium-drying thinner used to thin many lacquers, lacquer sealers or epoxies. Use to clean tools and equipment immediately after use.

ITEM NUMBER	CONTAINER SIZE	UNITS/ CASE	LBS/ CASE	CASES/ PALLET	UNIVERSAL PRODUCT CODE
11021	55 Gallon	1	409	4	0 81703 11021 0
11022	5 Gallon	1	37	48	0 81703 11022 7
11023	Gallon	6	47	45	0 81703 11023 4



E-Z M.E.K. - METHYL ETHYL KETONE

Exceptionally high strength solvent with a medium evaporation rate for use with many specialty coatings as specified by the paint manufacturer. ASTM D-740 TYPE I. VOC 807g/L. Non-photochemically reactive.

ITEM NUMBER	CONTAINER SIZE	UNITS/ CASE	LBS/ CASE	CASES/ PALLET	UNIVERSAL PRODUCT CODE
12801	55 Gal. Drum	Each	415	4	0 81703 12801 7
12802	5 Gal. Pail	Each	42	48	0 81703 12802 4
12803	Gallon	6	49	45	2 81703 12803 1
12804	Quart	12	26	84	3 81703 12804 8



E-Z MINERAL SPIRITS

A proprietary blend of colorless, low odor, low aromatic, petroleum distillates. Use for thinning paint, cleaning brushes and other tools. TTT-295. VOC 770g/L.

ITEM NUMBER	CONTAINER SIZE	UNITS/ CASE	LBS/ CASE	CASES/ PALLET	UNIVERSAL PRODUCT CODE
10601	55 Gal. Drum	Each	402	4	0 81703 10601 5
10602	5 Gal. Pail	Each	36	48	0 81703 10602 2
10604	Quart-Plastic	12	25	84	0 81703 10604 6
10606	Gallon-Plastic	6	42		0 81703 10606 0



E-Z MINERAL SPIRITS - ODORLESS

No obnoxious odor. Not a blend but pure odorless thinner. Used for thinning oil base paints, cleaning brushes and other painter's tools. ASTM D-235 TYPE III, TT-T-295.

ITEM NUMBER	CONTAINER SIZE	UNITS/ CASE	LBS/ CASE	CASES/ PALLET	UNIVERSAL PRODUCT CODE
10801	55 Gal. Drum	Each	402	4	0 81703 10801 9
10802	5 Gal. Pail	Each	37	48	0 81703 10802 6
10803	Gallon-Plastic	6	45	45	0 81703 10803 3
10804	Quart-Plastic	12	25	84	0 81703 10804 5



E-Z PAINT THINNER

A proprietary blend of colorless low odor mineral spirits used for thinning oil base paints. Most widely accepted by the professional painter. 100% mineral spirits. TTT-295. VOC 770g/L.

ITEM NUMBER	CONTAINER SIZE	UNITS/ CASE	LBS/ CASE	CASES/ PALLET	UNIVERSAL PRODUCT CODE
10406	2.5 Gal. Plastic	2	35	52	0 81703 10406 6
10501	55 Gal. Drum	Each	402	4	0 81703 10501 8
10503	Gallon	6	45	45	0 81703 10503 2
10504	Quart	12	25	84	0 81703 10504 9
10505	Pint	12	13	144	0 81703 10505 6
10506	Gallon-Plastic	6	42	45	0 81703 10506 3
10520	5 Gal. Pail	Each	36	48	0 81703 10520 9
10507	Quart-Plastic	12	25	84	0 81703 10507 0



E-Z TOLUENE - TOLUOL

A medium strength solvent with a fast evaporation rate for use with many specialty coatings. Use only when specified by the paint manufacturer. JAN-T-171, MIL-C-5540, TT-T-548, ASTM D841.

ITEM NUMBER	CONTAINER SIZE	UNITS/ CASE	LBS/ CASE	CASES/ PALLET	UNIVERSAL PRODUCT CODE
12101	55 Gal. Drum	Each	475	4	0 81703 12101 8
12102	5 Gal. Pail	Each	40	48	0 81703 12102 5
12103	Gallon	6	51	45	0 81703 12103 2
12104	Quart	12	29	84	0 81703 12104 9



E-Z TERPENTENE - PREMIUM SOLVENT

A blend of high solvency petroleum and Southern Pine distillates. An economical replacement for gum or steam turpentine. Use for thinning oil base paints, stains, varnishes, and enamels. VOC 798g/L. Photochemically reactive.

ITEM NUMBER	CONTAINER SIZE	UNITS/ CASE	LBS/ CASE	CASES/ PALLET	UNIVERSAL PRODUCT CODE
10301	55 Gal. Drum	Each	418	4	0 81703 10301 4
10302	5 Gal. Pail	Each	38	48	0 81703 10302 1
10303	Gallon	6	47	45	0 81703 10303 8
10304	Quart	12	26	84	0 81703 10304 5



E-Z TURPENTINE - GUM SPIRITS OF

High solvency characteristics, distilled from gum of the living Long Leaf Southern Pine Tree. Unexcelled as a thinner of oil base paints, especially artistic grade paints. TTT-801. VOC 860g/L. Photochemically reactive.

ITEM NUMBER	CONTAINER SIZE	UNITS/ CASE	LBS/ CASE	CASES/ PALLET	UNIVERSAL PRODUCT CODE
10101	55 Gal. Drum	Each	422	4	0 81703 10101 0
10102	5 Gal. Pail	Each	38	48	0 81703 10102 7
10103	Gallon	6	49	45	0 81703 10103 4
10104	Quart	12	27	84	0 81703 10104 1
10105	Pint	12	14	144	0 81703 10105 8



E-Z TURPENTINE - STEAM DISTILLED

Deived from the distillation of wood products of the Southern Pine Tree. An extremely high quality thinner of oil based paints. Excellent solvency. VOC 860g/L. Photochemically reactive.

ITEM NUMBER	CONTAINER SIZE	UNITS/ CASE	LBS/ CASE	CASES/ PALLET	UNIVERSAL PRODUCT CODE
10201	55 Gal. Drum	Each	422	4	0 81703 10201 7
10202	5 Gal. Pail	Each	38	48	0 81703 10202 4
10203	Gallon	6	49	45	0 81703 10203 1
10204	Quart	12	27	84	0 81703 10204 8
10205	Pint	12	14	144	0 81703 10205 5



E-Z NAPHTHA - VM&P

Varnish Makers & Painters Naphtha is ideally suited for thinning most oil base enamel paints, stains, and varnishes. A mild solvent similar in strength to mineral spirits with a faster evaporation rate.

ASTM D-3725 TYPE I. VOC 744g/L. Non-photochemically reactive.

ITEM NUMBER	CONTAINER SIZE	UNITS/ CASE	LBS/ CASE	CASES/ PALLET	UNIVERSAL PRODUCT CODE
12301	55 Gal. Drum	Each	402	4	0 81703 12301 2
12302	5 Gal. Pail	Each	36	48	0 81703 12302 9
12303	Gallon	6	44	45	0 81703 12303 9
12304	Quart	12	25	84	0 81703 12304 3
12305	Pint	12	13	144	0 81703 12305 0



E-Z XYLENE - XYLOL

A medium strength solvent with a slow evaporation rate for use with many specialty coatings. Use only when specified by the paint manufacturer.

TT-X-916(GRADE A&B), ASTM D-329. 866g/L. Photochemically reactive.

ITEM NUMBER	CONTAINER SIZE	UNITS/ CASE	LBS/ CASE	CASES/ PALLET	UNIVERSAL PRODUCT CODE
12201	55 Gal. Drum	Each	422	4	0 81703 12201 5
12202	5 Gal. Pail	Each	38	48	0 81703 12202 2
12203	Gallon	6	49	45	0 81703 12203 9
12204	Quart	12	27	84	0 81703 12204 6

FUELS



BEST CAMPING FUEL

For use with all gasoline burning camping appliances such as lanterns, stoves, catalytic heaters, etc. Also known as white gas specifically formulated with a rust inhibitor to add life to appliances. Clean burning.

VOC 710 g/L. Photochemically reactive.

ITEM NUMBER	CONTAINER SIZE	UNITS/ CASE	LBS/ CASE	CASES/ PALLET	UNIVERSAL PRODUCT CODE
55003	Gallon	6	43	45	0 81703 55003 0



E-Z CHARCOAL LIGHTER

A premium quality charcoal starter. A sure way to cleanly and effectively assist the starting of charcoal fires in barbecue grills, campfires and other wood fires. Very low odor.

VOC 770g/L. Photochemically reactive.

ITEM NUMBER	CONTAINER SIZE	UNITS/ CASE	LBS/ CASE	CASES/ PALLET	UNIVERSAL PRODUCT CODE
12014	Quart	12	25	84	0 81703 120141



E-Z FUEL KEROSENE - K-1


Specifically refined for use in kerosene heaters & oil burning lamps. Made non taxable with a harmless dye.


Eliminates sulfur odors and carbon buildup. Mild, slow evaporating solvent.


VOC 710g/L. Photochemically reactive.


ITEM NUMBER	CONTAINER SIZE	UNITS/ CASE	LBS/ CASE	CASES/ PALLET	UNIVERSAL PRODUCT CODE
12001	55 Gallon	1	402	4	0 81703 12001 1
12002	5 Gallon	1	36	48	0 81703 12002 8
12004	Quart-Plastic	12	26	84	0 81703 12004 2
137031	Gallon-Plastic	4	28	75	0 81703 13703 3


OILS

	E-Z LINSEED OIL - RAW					
	100% pure natural flaxseed oil with no driers or chemical additives. Used to refinish antiques, preserve exterior woods and concrete, inhibit rust, and as an additive for oil base finishes. VOC 0 g/L. Non-photochemically reactive.					
	ITEM NUMBER	CONTAINER SIZE	UNITS/ CASE	LBS/ CASE	CASES/ PALLET	UNIVERSAL PRODUCT CODE
	11801	55 Gal. Drum	Each	475	4	0 81703 11801 8
	11802	5 Gal. Pail	Each	43	48	0 81703 11802 5
	11803	Gallon-Plastic	6	51	45	0 81703 11803 2
	11804	Quart-Plastic	12	29	84	0 81703 11804 9
11805	Pint	12	15	144	0 81703 11805 4	

	E-Z LINSEED OIL - BOILED					
	100% pure. Scientifically treated to shorten drying time. Used to refinish antiques, preserve exterior wood and concrete, inhibit rust, and as an additive for oil based finishes. TT-L-190. VOC 0 g/L. Non-photochemically reactive.					
	ITEM NUMBER	CONTAINER SIZE	UNITS/ CASE	LBS/ CASE	CASES/ PALLET	UNIVERSAL PRODUCT CODE
	11901	55 Gal. Drum	Each	475	4	0 81703 11901 5
	11902	5 Gal. Pail	Each	43	48	0 81703 11902 2
	11903	Gallon-Plastic	6	51	45	0 81703 11903 9
	11904	Quart-Plastic	12	29	84	0 81703 11904 6
11905	Pint	12	15	144	0 81703 11905 3	

	E-Z LEMON OIL - FURNITURE TREATMENT					
	A high quality finish for hand rubbing wooden surfaces. Protects wood from drying out. Restores and highlights the natural beauty of wood. Contains no wax or silicone to build up and dull finish. VOC 702 g/L. Non-photochemically reactive.					
	ITEM NUMBER	CONTAINER SIZE	UNITS/ CASE	LBS/ CASE	CASES/ PALLET	UNIVERSAL PRODUCT CODE
	32003	Gallon	6	48	45	0 81703 32003 9
	32004	Quart	12	24	84	0 81703 32004 6
	32005	Pint	12	13	144	0 81703 32005 3

	E-Z TUNG OIL FINISH					
	High quality, fast drying, clear oil finish for hand rubbing wooden surfaces to produce a hard durable finish. Restores and highlights wood's natural beauty. An excellent protective finish for furniture that will guard against water and alcohol stains. VOC 639 g/L. Non-photochemically reactive.					
	ITEM NUMBER	CONTAINER SIZE	UNITS/ CASE	LBS/ CASE	CASES/ PALLET	UNIVERSAL PRODUCT CODE
	31023	Gallon	6	47	45	0 81703 31023 8
	31024	Quart	12	24	84	0 81703 31024 5
	31025	Pint	12	13	144	0 81703 31025 2

	E-Z PINE OIL - CLEANER AND DEODORIZER					
	A reliable cleaner that dissolves in water to produce a foaming, alkaline cleaning solution that is safe on most materials such as painted surfaces, plumbing fixtures, metals, plastics, wood and linoleum.					
	ITEM NUMBER	CONTAINER SIZE	UNITS/ CASE	LBS/ CASE	CASES/ PALLET	UNIVERSAL PRODUCT CODE
	90009	2.5 Gal-Plastic	2	42	52	0 81703 90009 5
	90006	Gallon-Plastic	6	50	45	0 81703 90006 4

SEALERS



E-Z CONCRETE SEALER - ANTI SPALLING COMPOUND

Linseed oil based sealing agent for new and old concrete surfaces. Protects concrete against damage caused by freeze-thaw cycles, salt and other de-icing chemicals. Pails & Drums available upon request with D.O.T. Certifications. VOC 385 g/L. Non-photochemically reactive.

ITEM NUMBER	CONTAINER SIZE	UNITS/ CASE	LBS/ CASE	CASES/ PALLET	UNIVERSAL PRODUCT CODE
12501	55 Gal. Drum	Each	435	4	0 81703 12501 6
12502	5 Gal. Pail	Each	37	48	0 81703 12502 1
12503	Gallon-Plastic	6	46	45	0 81703 12503 6

REMOVERS



E-Z BRUSH CLEANER - WATER WASH

Quickly removes fresh or hardened oil and latex paints, varnishes, enamels and most synthetic finishes from brushes and Roller covers. Restores and reconditions expensive natural bristle and nylon brushes to their original condition. Reusable. VOC 771 g/L. Non-photochemically reactive.

ITEM NUMBER	CONTAINER SIZE	UNITS/ CASE	LBS/ CASE	CASES/ PALLET	UNIVERSAL PRODUCT CODE
13003	Gallon	6	51	45	0 81703 13003 4
13004	Quart	12	28	84	0 81703 13004 1



E-Z PAINT DEGLOSSER

A cleaning, deglossing and bonding agent which eliminates the need for sandpapering. Works on surfaces painted with oil, acrylic, and latex paints or varnishes. Can be used on both interior and exterior surfaces. VOC 854g/L. Photochemically reactive.

ITEM NUMBER	CONTAINER SIZE	UNITS/ CASE	LBS/ CASE	CASES/ PALLET	UNIVERSAL PRODUCT CODE
13103	Gallon	6	48	45	0 81703 13103 1
13104	Quart	12	26	84	0 81703 13104 8



E-Z FURNITURE REFINISHING LIQUID

Formulated of the finest of solvents for restoring old and antique furniture. Dissolves and removes varnish, shellac, and lacquer finishes. Eliminates sanding and scraping. VOC 432g/L. Non-photochemically reactive.

ITEM NUMBER	CONTAINER SIZE	UNITS/ CASE	LBS/ CASE	CASES/ PALLET	UNIVERSAL PRODUCT CODE
30003	Gallon	6	50	45	0 81703 30003 1
30004	Quart	12	26	84	0 81703 30004 8



E-Z PAINT & VARNISH REMOVER-ALL PURPOSE, LIQUID

A quality liquid remover that will quickly remove paint, varnish, lacquer and shellac from wood, glass, masonry or metal surfaces. Flammable. VOC g/L. Non-photochemically reactive.

ITEM NUMBER	CONTAINER SIZE	UNITS/ CASE	LBS/ CASE	CASES/ PALLET	UNIVERSAL PRODUCT CODE
12901	55 Gal. Drum	Each	422	4	0 81703 12901 4
12902	5 Gal. Pail	Each	38	48	0 81703 12902 1
12903	Gallon	6	47	45	0 81703 12903 8



E-Z PAINT & VARNISH REMOVER-NON-FLAMMABLE,WATER RINSABLE

A quality liquid remover that will quickly remove paint, varnish, lacquer and shellac from wood, glass, masonry or metal surfaces. Eliminates sanding and scraping.

ITEM NUMBER	CONTAINER SIZE	UNITS/ CASE	LBS/ CASE	CASES/ PALLET	UNIVERSAL PRODUCT CODE
40003	Gallon	2	22	125	0 81703 40003 8
40004	Quart	6	18	125	0 81703 40004 5



E-Z PAINT & VARNISH REMOVER - NON FLAMABLE, SEMI-PASTE

A non-flammable semi-paste remover. Clings to and removes enamels, urethanes and epoxies even from vertical surfaces of metal, wood, masonry and fiberglass. For automotive, household or marine use. Suitable for veneers. VOC 194 g/L. Non-photochemically reactive.

ITEM NUMBER	CONTAINER SIZE	UNITS/ CASE	LBS/ CASE	CASES/ PALLET	UNIVERSAL PRODUCT CODE
41003	Gallon	2	22	125	0 81703 41003 7
41004	Quart	6	18	125	0 81703 41004 4

ACID



E-Z MURIATIC ACID

Industrial strength. 32% hydrochloric acid. Use to remove mortar from masonry, glazed tile and vitreous enamels. Used to etch concrete. Used to balance pH level in swimming pools.

ITEM NUMBER	CONTAINER SIZE	UNITS/ CASE	LBS/ CASE	CASES/ PALLET	UNIVERSAL PRODUCT CODE
11701	55 Gal. Drum	Each	550	4	0 81703 11701 1
11711	15 Gallon	Each	150	9	0 81703 11711 0
11702	5 Gal. Pail	Each	50	36	0 81703 11702 8
11703	Gallon	4	41	45	0 81703 11703 5
11704	Quart	12	33	56	0 81703 11704 2

WARNING: Various products packaged and distributed by E.E. Zimmerman Co./ Elroy Turpentine Co. may be harmful or dangerous if not used properly. Always read all instructions and warnings contained on the product container, and if used in the workplace, the applicable Material Safety Data Sheets. These products must only be used for their intended purposes and the user must strictly adhere to all instructions, warnings and related information.